

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Withdrawn): An image contour extraction method comprising the steps of:
inputting image data and shape data which is a binary image representing a
provisional region of an object in the image data;
reducing the image data and the shape data;
performing coarse contour position correction on the basis of the reduced image data
and shape data to coarsely bring a contour of the shape data close to a contour of the image
data; and
performing main contour position correction to match the contour of the shape data to
the contour of the image data on the basis of the image data and the coarsely adjusted shape
data obtained by the coarse contour position correction,

wherein the coarse contour position correction includes arranging a plurality of search
reference blocks, each having a first size, on the contour of reduced shape data, searching, for
each of the search reference blocks, the reduced image data for a similar block having a
texture similar to that of the search reference block and having a second size larger than the
first size, and replacing all the search reference blocks with correction shape data obtained by
extracting data of the similar blocks from the reduced shape data and reducing the data to the
first size, and

the main contour position correction includes arranging a plurality of search reference
blocks, each having a third size; searching, for each of the search reference blocks, the input
image data for a similar block having a texture similar to that of the search reference block
and having a fourth size larger than the third size, and replacing all the search reference
blocks with correction shape data obtained by extracting data of the similar blocks from the
shape data and reducing the data to the third size.

Claim 2 (Withdrawn): A method according to claim 1, wherein the coarse contour position correction is repeated a plurality of number of times, and the size of the search reference block is decreased as the coarse contour position correction is repeated.

Claim 3 (Withdrawn): A method according to claim 1, wherein the coarse contour position correction comprises limiting a similar block search range to a direction perpendicular to a direction of a contour of shape data in a search reference block.

Claim 4 (Currently Amended): ~~An object extraction~~ A method for extracting an object from a frame having an object and a background, the method comprising:
preparing a plurality of candidate regions of shape data;
setting, as a provisional region of an extraction object, one of the candidate regions which exhibits a largest difference between ~~a statistical characteristic of inside pixel values of the object of the frame and that of outside pixel values of the background of the same frame~~ to generate initial shape data representing the provisional region; and
matching a contour of the initial shape data to a contour of the extraction object by using current image data and the initial shape data, the current image data obtained by capturing the extraction object.

Claim 5 (Canceled).

Claim 6 (Currently Amended): [[A]] The method according to claim 4, wherein the setting comprises comparing the current image data with background image data acquired in advance without capturing the extraction object, and setting a region in which the current

image data differs in value from the background image data as a provisional region of the extraction object.

Claim 7 (Currently Amended): [[A]] The method according to claim 4, wherein the setting comprises[[,]] holding image data of a frame from which a region of the extraction object has already been obtained and shape data as reference image data and reference shape data, respectively, performing motion detection with respect to the current input image data corresponding to the first image data by referring to the reference image data, and performing motion compensation for the reference shape data on the basis of the motion detection result to generate the initial shape data.

Claim 8 (Withdrawn): An object extraction method comprising the steps of:
inputting image data and shape data as an image representing provisional regions of extraction objects in the image data;
arranging a plurality of search reference blocks, each having a first size, on a contour portion of the shape data;
searching the same image for a similar block, for each of the search reference blocks, which has a texture similar to that of the search reference block and a block size larger than that of the search reference block; and
replacing shape data in each of the search reference blocks with correction shape data which is obtained from a corresponding one of the similar blocks and has undergone size correction by reduction processing,
wherein the shape data has different pixel values in an object region and a background region which differ from each other, and

the reduction processing in the replacing step uses a pixel value of one of pixels around a sampling point of the shape data as a sampling value.

Claim 9 (Withdrawn): An image contour extraction method comprising the steps of: displaying an original image on a display screen on the basis of original image data; manually setting a rough contour of an object displayed on the display and generating shape data corresponding to the rough contour; and performing contour position correction by a self affine mapping technique to match an actual contour of the object to the rough contour, wherein the contour position correction includes performing reduction processing for the original image data and shape data to obtain a reduced original image and reduced rough contour obtained by reducing the original image and rough contour, and performing coarse contour position correction by the self affine mapping technique using the reduced original image data and shape data, thereby coarsely bringing the rough contour close to the contour of the original image, and performing main contour position correction by the self affine mapping technique using the coarsely adjusted shape data and original image data obtained by the coarse contour position correction, and matching the rough contour to the contour of the original image.

Claim 10 (Withdrawn): A method according to claim 9, wherein the coarse contour position correction comprises the steps of arranging a plurality of search reference blocks, each having a first size, on the reduced rough contour, searching, for each of the search reference blocks, the reduced image data corresponding to the search reference block for a similar block having a texture similar to that of the reduced original image and a second size larger than the first size of the search reference block, and replacing all the search reference

blocks with correction shape data obtained by extracting data of the similar blocks from the shape data and reducing the data to the first size.

Claim 11 (Withdrawn): A method according to claim 10, wherein the main contour position correction comprises the steps of arranging a plurality of search reference blocks, each having a third size, on the rough contour, searching, for each of the search reference blocks, the original image data corresponding to the search reference block for a similar block having a texture similar to that of the original image and a fourth size larger than the third size of the search reference block, and replacing all the search reference blocks with correction shape data obtained by extracting data of the similar blocks from the rough contour and reducing the data to the third size.

Claim 12 (Withdrawn): A method according to claim 9, wherein the coarse contour position correction comprises the step of obtaining a 1/2 reduced original image by reducing the original image and rough contour to 1/2.

Claim 13 (Withdrawn): A method according to claim 9, wherein the coarse contour position correction is repeated a plurality of number of times, and a size of the search reference block is decreased as the coarse contour position correction is repeated.

Claim 14 (Withdrawn): A method according to claim 9, wherein the coarse contour position correction comprises limiting a similar block search range to a direction perpendicular to a direction of a contour of shape data in a search reference block.

Claim 15 (Withdrawn): A method according to claim 9, wherein the coarse contour position correction comprises reducing a block size of a search reference block to 1/2 vertically and horizontally, checking whether the reduced block size of the search reference block is smaller than a reference value, and advancing the main contour position correction if the block size is smaller than the reference value and returning to the reduction step if the block size is not smaller than the reference value.

Claim 16 (Withdrawn): A transmission system comprising a server and client which mutually transmit/receive transmission/reception data,

 said client including:

 an object extraction section which obtain extracted image data by extracting an object from image data obtained by capturing an extraction object,

 a client transmission section which transmits the extracted image data as down stream transmission/reception data to said server without any change or upon compression,

 a client reception section which receives upstream transmission/reception data sent from said server and handles the transmission/reception data as image data if the data is not compressed, and reproduces the image data if the data is compressed, and

 a display which displays the image data, and

 said server including:

 a server reception section which receives the downstream transmission/reception data, handles the transmission/reception data as extracted image data if the data is not compressed, and reproduces the extracted image data if the data is compressed,

 a composite section which synthesizes the extracted image data with one composite image data, and

a server transmission section which transmits the composite image data as the upstream transmission/reception data without any change or upon compression.

Claim 17 (Withdrawn): A transmission system comprising a plurality of communication terminals for mutually transmitting/receiving transmission/reception data, said communication terminal including:

an object extraction section which obtains extracted image data by extracting an object from image data,

a transmission section which transmits the extracted image data as inter communication terminal transmission/reception data to another communication terminal without any change or upon compression,

a reception section which receives the inter communication terminal transmission/reception data sent from another communication terminal, handles the transmission/reception data as extracted image data without any change if the data is not compressed, and reproduces the extracted image if the data is compressed,

a composite section which synthesizes the extracted image data with one composite image data, and

a display which displays the composite image data.

Claim 18 (New): The method according to claim 4, wherein the setting includes calculating an average of the pixel values of the object and an average of the pixel values of the background, calculating a largest difference between the average of the pixel values of the object and the average of the pixel values of the background, and setting one of the candidate regions which exhibits the largest difference as the provisional region.